## Amendments to the Claims:

- 1. (Currently Amended) A process for producing an agglomerated superabsorbent polymer particle, comprising as steps:
  - (A) bringing (i) superabsorbent polymer fine particles which have to having at least about 40 wt.% a particle size of less than about 150 μm[[,]] into contact with (ii) a fluid comprising to more than about 10 wt.%, based on the total weight of the fluid, a cross-linkable, uncross-linked polymer, which polymer is based on polymerised polymerized, ethylenically unsaturated, acid groups-bearing monomers or salts thereof to at least about 20 wt.%, based on the total weight of the cross-linkable, uncrosslinked polymer[[,]]; and
  - (B) cross-linking the uncross\_linked polymer by heating the superabsorbent polymer fine particles brought into contact with the fluid to a temperature within a range from <u>about</u> 20 to <u>about</u> 300 °C, so that the cross-linkable, uncross\_linked polymer [[is]] at least partially <del>crosslinked</del> <u>crosslinks</u>,

## wherein

- (a) the cross-linkable, uncross-linked polymer comprises, besides the polymerised polymerized, ethylenically unsaturated, acid groups-bearing monomers, further polymerised polymerized, ethylenically unsaturated monomers (M) which can react capable of reacting with polymerised polymerized acid groupbearing monomers in a condensation reaction, in an addition reaction, or in a ring opening reaction, and/or
- (b) the fluid comprises, beside the cross-linkable, uncrosslinked polymer, a crosslinker.
- 2. (Currently Amended) <u>Process A process</u> according to <u>claim Claim 1</u>, wherein the cross-linkable, uncrosslinked polymer <u>has comprises</u> a weight average molecular weight of more than <u>about 8000 g/mol</u>.

- 3. (Currently Amended) Process A process according to claim 1 or 2 Claim 1, wherein the monomer (M) [[is]] comprises a polymerised polymerized, ethylenically unsaturated conversion product of saturated aliphatic, cycloaliphatic, aromatic alcohols, amines or thiols with ethylenically unsaturated carboxylic acid, carboxylic acid derivatives or allyl halides.
- 4. (Currently Amended) Process A process according to Claim 1 any one of the preceding claims, wherein the superabsorbent polymer fine particles comprise an inner portion and a surface portion bordering the inner portion [[and]], wherein the surface portion comprises a different chemical composition that than the inner portion or a different differs from the inner portion in a physical property than the inner portion.
- 5. (Currently Amended) Process A process according to Claim 1 any one of the preceding claims, wherein the bringing into contact of the superabsorbent polymer fine particles with the fluid occurs in the presence of an effect material based on comprising a polysaccharide or a polyalkylether polyol or [[on]] a silicon-oxygen-comprising compound or [[on]] a mixture of at least two thereof.
- 6. (Currently Amended) Process A process according to elaim Claim 5, wherein the effect material [[is]] comprises a zeolite.
- 7. (Currently Amended) Process A process according to Claim 1 any one of the preceding claims, wherein the bringing into contact occurs in a fluidised fluidized bed.
- 8. (Currently Amended) Process A process according to Claim 1 any one of the preceding claims, wherein during or after step (B) a postcrosslinker is added as a step (C).
- 9. (Currently Amended) <u>An agglomerated</u> superabsorbent polymer particle obtainable by a process according to <u>Claim 1</u> any one of the preceding claims.

- 10. (Currently Amended) <u>An agglomerated</u> superabsorbent polymer particle comprising [[to]] more than <u>about 75</u> wt.% superabsorbent polymer <u>fine</u> particles, wherein:
  - the superabsorbent polymer fine particles have comprise, [[to]] at least about 40 wt.% based on the total weight of the superabsorbent polymer fine particles, a particle size of less than about 150 μm and abut at least partially onto a matrix of a crosslinked polymer,
  - (A2) wherein the crosslinked polymer is based to comprises at least about 20 wt.%, based on the total weight of the crosslinked polymer, [[on]] polymerised polymerized acid group-bearing monomers or salts thereof,
  - (A3) the crosslinked polymer comprises a different chemical composition
    [[to]] than the superabsorbent polymer fine particles or differs from the superabsorber fine particles in a different physical property than the superabsorbent polymer fine particles, and
  - (A4) wherein less than about 50 wt.% of the superabsorbent polymer particle comprises a portion of particles with a particle size of less than about 150 μm of less than 50 wt.% after carrying out once the stability test described herein.
- 11. (Currently Amended) <u>An agglomerated</u> superabsorbent polymer particle comprising superabsorbent polymer fine particles which have <u>having</u>, [[to]] at least <u>about</u> 50 wt.% based on the total weight of the superabsorbent polymer fine particles, an average particle size of less than <u>about</u> 150 μm and which abut onto <u>abutting</u> a matrix of a crosslinked polymer, wherein:
  - (B1) the crosslinked polymer is based to comprises at least about 20 wt.%, based on the total weight of the crosslinked polymer, on ethylenic acid group-bearing monomers or salts thereof,

- (B2) the crosslinked polymer comprises a different chemical composition
  [[to]] than the superabsorbent polymer fine particles or a different
  physical property than differs from the superabsorbent polymer fine
  particles in a physical property, and wherein
- (B3) the matrix comprises, besides the crosslinked polymer, an effect material based on comprising a polysaccharide or [[on]] a polyalkylether polyol or [[on]] a silicon-oxygen-comprising compound or [[on]] a mixture of at least two thereof.
- 12. (Currently Amended) An agglomerated superabsorbent polymer particle according to any one of claims 9 to 11 Claim 9, wherein the superabsorbent polymer fine particles comprise an inner portion and a surface portion bordering the inner portion and wherein the surface portion comprises a different chemical composition [[to]] from the inner portion or a different physical property differs from the inner portion in a physical property.
- 13. (Currently Amended) An agglomerated superabsorbent polymer particle according to any one of claims 9 to 12 Claim 11, wherein the superabsorbent polymer fine particles comprise an inner portion and a surface portion bordering the inner portion and wherein the surface portion comprises a different chemical composition [[to]] from the inner portion or a different physical property differs from the inner portion in a physical property.
- 14. (Currently Amended) <u>Agglomerated</u> superabsorbent polymer particles according to any one of claims 9 to 13 <u>Claim 9</u>, wherein the <u>agglomerated</u> superabsorbent polymer particles have at least one of the following properties:
  - a particle size distribution, whereby at least <u>about</u> 80 wt.% of the particles have a particle size within a range of <u>about</u> 20 μm to <u>about</u> 5 mm;
  - a2) a Centrifuge Retention Capacity (CRC) of at least about 5 g/g;
  - a3) an Absorption Against Pressure (AAP) at <u>about</u> 0.7 psi of at least <u>about</u> 5 g/g;

- a4) a water-soluble polymer content of less than <u>about</u> 25 wt.% after <u>about</u> 16 hours extraction.
- 15. (Currently Amended) A composite comprising the <u>agglomerated</u> superabsorbent polymer particles according to <del>any one of claims 9 to 14</del> <u>Claim 9</u> and a substrate.
- 16. (Currently Amended) A process for producing a composite, wherein comprising contacting the agglomerated superabsorbent polymer particles according to any one of claims 7 to 12 and Claim 9 with a substrate and optionally an additive are brought into contact with each other.
- 17. (Currently Amended) A composite obtainable according to the process according to elaim 14 Claim 16.
- 18. (Currently Amended) Use of the Using the agglomerated superabsorbent polymer particles according to Claim 9 any one of claims 7 to 12 or of the composite according to claim 13 or 15 in hygiene products, for combating floods, for insulation against water, for regulating the water management of soils or for treating food products.
- 19. (New) The process according to Claim 16 further comprising contacting the agglomerated superabsorbent polymer particles according to Claim 9 and the substrate with an additive.
- 20. (New) Using the composite according to Claim 15 in hygiene products, for combating floods, for insulation against water, for regulating the water management of soils or for treating food products.